



# Consumer Packaging

SEALPACK 510 SERIES  
12 OZ. / 350 ML TO 24 OZ. / 750 ML



FOOD MANUFACTURING AND PROCESSING

## Wide opening container with clarity.

# SealPack 510

## Extended shelf life with amazing product visibility



We don't just make containers, we understand the importance of reaching and attracting your customers at the point of purchase.

### Features

---

- Film-sealable
- Withstands high pressure pasteurisation (HPP)
- Photo quality IML decoration on container and lid
- Stylish lid with full or partial IML coverage
- 100% recyclable polypropylene

### Benefits

---

- Offered in clarified PP for maximum product showcase
- Wide 510 opening
- Microwave and dishwasher safe

### WIDE OPENING CONTAINERS WITH CLARITY

Round film-sealable container family, ideal for dips, hummus, salsa and prepared meals

Take advantage of HPP technology to increase shelf life and reduce the use of food preservatives.

### For every need

Deli

---

Dips, salads, spreads, prepared meals.



**Mod.: 23510**  
12 oz. - (350 ml)  
5.63" (W) X 1.38" (H)



**Mod.: 25010**  
16 oz. - (500 ml)  
5.63" (W) X 1.88" (H)



**Mod.: 27510**  
24 oz. - (750 ml)  
5.63" (W) X 2.63" (H)

# SealPack 510 Specifications

www.iplglobal.com

1-800-647-0602

## CONTAINERS

Product Code	Model	Decoration Options†		Brimful Capacity		Approx. Weight		Overall Height <sup>A</sup>		Overall Diameter <sup>B</sup>		Items Per Box	Boxes Per Pallet	Items Per Pallet
		IML	Offset	US fl.oz.	ml	oz.	g	in.	mm	in.	mm			
23510	12 oz. / 350 ml	✓	W	14.95	442	0.54	15.4	1.38	35.1	5.63	143.0	552	20	11,040
25010	16 oz. / 500 ml	✓	W	20.02	592	0.62	17.5	1.88	47.6	5.63	143.0	528	20	10,560
27510	24 oz. / 750 ml	✓	W/B	26.65	788	0.84	23.9	2.63	66.8	5.63	143.0	504	20	10,080

\* Ask for our HPP Guide to know more about HPP use and limitations on this series


## LID

Product Code	Associated Containers Code	Decoration Options		Approx. Weight		Height <sup>A</sup>		Diameter <sup>B</sup>		Items Per Box	Boxes Per Pallet	Items Per Pallet
		IML	Offset	oz.	g	in.	mm	in.	mm			
20110	All sizes of containers	✓	**	0.40	11.3	0.50	12.7	5.76	146.1	1,056	20	21,120

\*\* Lid IML decoration options: full panel or partial

## Color Options

Base Colors	Standard Colors	Other Colors
Natural 000	Yellow 012	Available on request
White 001	Orange 021	
Clear 002	Red 485	
	Green 377	
	Blue 293	
	Black 099	



## Certifications

The raw materials used are tested according to ASTM standards for polymers, are approved for food contact and meet FDA (Food and Drug Administration, USA) and HPB (Health Protection Branch, Canada) regulations. Our facilities and rigorous quality control processes have earned us certification under the following standards: ISO 9001, HACCP, IMS, SQF, C-TPAT & ISO 14001 registered management system.

## Recommendations

Handling conditions vary from customer to customer. We recommend validating your processes (filling, conveying, warehousing and any others that might affect the purchased part) prior to use. Product usage temperature is between -9.4°F (-23°C) and 179.6°F (82°C) depending on resin grade.

## Warranties

Some chemicals can affect the integrity of the product. Any product requiring a Safety Data Sheet (SDS) has to be submitted and approved by IPL. If buyer fails to adhere to this clause, the related product guarantees will be void.

Contact your IPL representative to ensure you have the most recent information.

The information presented herein was prepared at IPL Inc. by qualified technical personnel. To IPL's knowledge, it is true and accurate. However, the information and recommendations are provided for these products with the understanding that the customer will independently determine that the product is suitable for the intended use, and that such use, complies with all applicable laws and regulations. The data represents typical values submitted only for the user's information and consideration and does not constitute a warranty of any kind.